

Brother TJ-4005DN

Merk : Brother

Artikelcode: TJ4005DN

Productnaam : TJ-4005DN

- Hoge printsnelheden tot 6 ips en een resolutie tot 203 dpi
 - LED meldingen om de printerstatus weer te geven
 - Printbreedte tot 107mm
 - Ondersteunt FBPL-EZD (EPL2, ZPL2, DPL) printertalen
 - Geschikt voor direct thermische rollen van hoge capaciteit
 - Maak eenvoudig verbinding via USB, USB host, serieel, ethernet en Wi-Fi (optioneel)
- Brother TJ-4005DN. Printtechnologie: Direct thermisch, Maximale resolutie: 203 x 203 DPI, Printsnelheid (metrisch): 152 mm/sec. Connectiviteitstechnologie: Bedraad. Kleur van het product: Zwart



Printsnelheid		Design	
Printtechnologie *	Direct thermisch	Kleur van het product *	Zwart
Kleur *	✗	Beeldscherm *	✗
Maximale resolutie *	203 x 203 DPI	Soort bediening	Knoppen
Printsnelheid (metrisch) *	152 mm/sec	Minimale systeemeisen	
Maximale print breedte *	10,7 cm	Ondersteunt Windows	Windows 10, Windows 8.1
Papier		Ondersteunt Mac-besturingssysteem	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Maximale label breedte	12 cm	Ondersteunde server operating systems	Windows Server 2012 R2, Windows Server 2016
Maximum media lengte	25,4 m	Ondersteunde mobiele besturingssystemen	Android 10, Android 10.0, Android 11.0, Android 12.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0, iOS 10.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 13.4, iOS 14, iOS 14.5, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3
Poorten & interfaces		Ondersteunt Linux	✓
Connectiviteitstechnologie *	Bedraad	Gewicht en omvang	
Ethernet LAN *	✓	Breedte	248 mm
Wifi *	✗	Diepte	436 mm
USB-poort *	✓	Hoogte	274 mm
RS-232 port	1	Gewicht	9,2 kg
Prestatie		Inhoud van de verpakking	
Intern geheugen	128 MB	Meegeleverde kabels	AC, USB
Flash memory	128 MB		
Ingebouwde streepjescodes	CODABAR (NW-7), Code 11, Code 128 (A/B/C), Code 49, Code 93, Deutsche Post Identcode, Deutsche Post Leitcode, EAN128, EAN13, EAN14, EAN8, ITF-14, Interleaved 2/5, LOGMARS, MSI, POSTNET, TELEPEN, UPC-A, UPC-E		



4977766822206

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-FEB-2024. Prints or copies of Information are only valid on the printed Publication date