Brother HLL9470CDNRE1 laser printer Colour 2400 x 600 DPI A4

Brand : Brother

Product name : HLL9470CDNRE1

Product code: HLL9470CDNRE1

- ntegrated NFC reader
- Expanded external print storage
- Product Upgrades Secure Print Plus, Barcode Print Plus
- Gigabit network as standard with optional 2.4/5GHz Wi-Fi module
- Optional Mailbox and Staple Finisher
- Fully compatible with 3rd party print management and document management solutions including Kofax, YSoft
40ppm, 1GB, 2-sided print, Colour, NFC, 442 x 541 x 403 mm, 22800 g

Brother HLL9470CDNRE1 laser printer Colour 2400 x 600 DPI A4:

The HL-L9470CDN is a high-speed, high-volume A4 colour laser printer with a low cost of ownership.

The high inbox toner considerably reduces print spend, together with robust build quality and excellent glossy print quality makes the HL-L9470CDN the ideal print partner for your business. With the simple, modern design comes impressive expansion options including a mailbox for sorting documents, staple finisher and additional paper trays adapting to your specific needs.

Printing

Print speed (colour, normal quality, A4/US Letter)	40 ppm
Colour *	✔
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	2400 x 600 DPI
Duplex print speed (colour, normal quality, A4/US Letter)	40 ppm
Time to first page (colour, normal)	10 s

Features

Maximum duty cycle *	15000 pages per month
Recommended duty cycle	520 - 2600 pages per month
Page description languages *	PCL 5c, PCL 5e, PCL 6

Input & output capacity

Total number of input trays *	1
Total input capacity *	520 sheets
Total output capacity *	250 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Plain paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Envelopes sizes	C5, Com-10, DL
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	64 - 105 g/m²
Auto Document Feeder (ADF) media weight	60 - 230 g/m²

Ports & interfaces

Direct printing *	✔

Performance

Internal memory *	1000 MB
Sound pressure level (printing)	56.5 dB
Sound pressure level (quiet mode)	53 dB
Sound power level (printing)	6.88 dB

Design

Market positioning *	Home & office
Product colour *	White
Built-in display *	✔
Display	LCD
Colour display	✔
Display diagonal	8.89 cm (3.5")
Control type	Touch

Power

Power consumption (printing) *	770 W
Power consumption (max)	1080 W
Power consumption (ready)	85 W
Power consumption (off)	0.04 W
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	✔
Mac operating systems supported	✔

Operational conditions

Operating temperature (T-T)	10 - 32 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	403 mm
Depth	442 mm

Ports & interfaces			Weight & dimensions	
USB port *	✔		Height	541 mm
USB 2.0 ports quantity	1		Weight	22.8 kg
Network			**Packaging data**	
Wi-Fi *	✘		Package width	628.2 mm
Ethernet LAN *	✔		Package depth	557 mm
Cabling technology	10/100/1000Base-T(X)		Package height	633.5 mm
Ethernet LAN data rates	10,100,1000 Mbit/s		Package weight	34.7 kg
Near Field Communication (NFC)	✔			

4977766813976