



TP-Link ER707-M2 bedrade router 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet Zwart

Merk : TP-Link

Artikelcode: ER707-M2

Productnaam : ER707-M2



TP-Link ER707-M2. Netwerkstandaard: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3q, IEEE 802.3u, IEEE 802.3x, Ethernet interface type: 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000,2500 Mbit/s. Ondersteunde netwerkprotocollen: TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPSec, PPTP, L2TP, OpenVPN, SNMP. Ondersteunde beveiligingsalgoritmen: 3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SNMP, SNMPv2, SNMPv3. Flash memory: 128 MB, Intern geheugen: 1000 MB, Intern geheugentype: DDR4. Kleur van het product: Zwart, Materiaal behuizing: Staal, LED-indicatoren: LAN, Link, Stroom, Snelheid, Systeem, USB, WAN

WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	Network address translation (NAT)	✓
SFP WAN *	✓	System event log	✓
Netwerk		VPN tunnels quantity	66
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3q, IEEE 802.3u, IEEE 802.3x	Technische details	
Ethernet interface type *	2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet	Naleving van duurzaamheid	✓
Ethernet LAN, data-overdrachtsnelheden	10,100,1000,2500 Mbit/s	Duurzaamheidscertificaten	CE, Federal Communications Commission (FCC), RoHS
Doorvoercapaciteit	1,44 Gbit/s	Kenmerken	
Statische route	✓	Flash memory	128 MB
VLAN=ondersteuning	✓	Intern geheugen	1000 MB
Op beleid gebaseerde routing	✓	Intern geheugentype	DDR4
Beheerfuncties		Ondersteunt Windows	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Web-gebaseerd management *	✓	Ondersteunt Mac-besturingssysteem	✓
Universal Plug and Play (UPnP)	✓	Ondersteunt Linux	✓
Reset button	✓	Design	
Poorten & interfaces		Kleur van het product *	Zwart
Aantal Ethernet LAN (RJ-45)-poorten *	6	Materiaal behuizing	Staal
Aantal WAN/Ethernet LAN-poorten	6	Ophangstelsysteem voor aan de muur	✓
Aantal WAN-poorten	1	LED-indicatoren	LAN, Link, Stroom, Snelheid, Systeem, USB, WAN
Aantal geïnstalleerde SFP modules	1	Energie	
Aantal USB-aansluitingen	1	Type stroombron	DC
USB-versie	2.0	Spanning	12 V
Protocollen		Output current	1,5 A
DHCP client *	✓	Eisen aan de omgeving	
DHCP server *	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Ondersteunde netwerkprotocollen	TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPSec, PPTP, L2TP, OpenVPN, SNMP	Temperatuur bij opslag	-40 - 70 °C
Beveiliging		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Ondersteunde beveiligingsalgoritmen *	3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SNMP, SNMPv2, SNMPv3	Luchtvochtigheid bij opslag	5 - 90 procent
URL- filtering	✓	Gewicht en omvang	
ICMP-aanvalspreventie	✓	Breedte	226 mm
		Diepte	131 mm
		Hoogte	35 mm

Verpakking

Inclusief AC-adapter	✓
Snelle installatiehandleiding	✓



4895252500745



4895252500738

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.