

NETGEAR GS108Tv3 Managed L2 Gigabit Ethernet (10/100/1000) Grijs

Merk : NETGEAR

Artikelcode: GS108T-300PES

Productnaam : GS108Tv3



NETGEAR GS108Tv3. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x. DC voltage input: 54 V. Netstekker: DC-in ingang

Beheerfuncties		Design	
Switch type *	Managed	Certificering	CE, FCC, VCCI Class B, C-Tick
Switch-laag	L2	Prestatie	
Quality of Service (QoS)	✓	Frequentie van processor	500 MHz
Poorten & interfaces		Type geheugen	RAM
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Intern geheugen	128 MB
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Flash memory	32 MB
Netstekker	DC-in ingang	Upgraden van firmware mogelijk	✓
Netwerk		Mean time between failures (MTBF)	2388657 uur
Netwerkstandaard *	IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x	Energie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-TX	Vermogenstoevoer inclusief *	✓
Port mirroring	✓	AC-ingangsspanning	100 - 240 V
Full duplex	✓	AC-ingangsfrequentie	50 - 60 Hz
Datastroombeheer	✓	DC voltage input	54 V
Verbindingsaggregatie	✓	Stroom	1.25 A
Broadcast stormbeheer	✓	Vermogensverbruik (max)	5,5 W
Rate limiting	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
MAC-adres zelflerende functie	✓	Eisen aan de omgeving	
Aantal VLANs	64	Bedrijfstemperatuur (T-T)	0 - 40 °C
Data-uitwisseling		Temperatuur bij opslag	-20 - 70 °C
Switchingcapaciteit *	16 Gbit/s	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
MAC-adrestabel *	8000 entries	Luchtvochtigheid bij opslag	0 - 95 procent
Store-and-forward	✓	Hoogte, in bedrijf	0 - 3000 m
Jumbo Frames ondersteuning	✓	Hoogte bij opslag	0 - 3000 m
Packet buffergeheugen	0,5 MB	Warmtedissipatie	18,66 BTU/h
Beveiliging		Gewicht en omvang	
DHCP-functies	DHCP client	Breedte	158 mm
Access Control List (ACL)	✓	Diepte	101 mm
Toegangsbeheerlijst (ACL) IPv6-vermeldingen	100	Hoogte	27 mm
IGMP snooping	✓	Gewicht	43 kg
Ondersteunde beveiligingsalgoritmen	802.1x RADIUS	Verpakking	
MAC adres filtering	✓	Gebruikershandleiding	✓
		Type verpakking	Doos
		Breedte verpakking	226 mm
		Diepte verpakking	270 mm
		Hoogte verpakking	64 mm

Multicast-functies		Verpakking	
Multicast-ondersteuning	✓	Gewicht verpakking	780 g
IPv4-multicast-vermeldingen	32	Logistieke gegevens	
Aantal gefilterde multicast-groepen	256	(Buitenste) hoofdverpakking breedte	214 mm
Protocollen		(Buitenste) hoofdverpakking lengte	474 mm
Beheerprotocollen	SNMP	(Buitenste) hoofdverpakking hoogte	312 mm
Wissel protocols	SNMP	Code geharmoniseerd systeem (HS)	85176990
Datalink-protocollen	Ethernet, Fast Ethernet, Gigabit Ethernet	(Buitenste) hoofdverpakking brutogewicht	5,49 kg
Ondersteunde netwerkprotocollen	HTTP, HTTPS	Hoeveelheid per (buitenste) hoofdverpakking	6 stuk(s)
Design			
Stapelbaar *	✗		
Kleur van het product	Grijs		
LED-indicatoren	Activiteit, LAN, Link, Power over Ethernet (PoE), Stroom, Snelheid		



0606449138634



606449138634

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.