

## Brother MFC-J6540DWE Inkjet A3 1200 x 4800 DPI 28 ppm Wi-Fi

**Brand :** Brother

**Product code:** MFC-J6540DWERE1

**Product name :** MFC-J6540DWE

Brother MFC-J6540DWE. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 1200 x 4800 DPI. Copying: Colour copying, Maximum copy resolution: 1200 x 4800 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: Grey, White



Printing		Ports & interfaces	
Print technology *	Inkjet	USB port	✓
Printing *	Colour printing	<b>Network</b>	
Duplex printing *	✓	Wi-Fi *	✓
Maximum resolution *	1200 x 4800 DPI	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	28 ppm	Cabling technology	10/100Base-T(X)
Time to first page (black, normal)	4.6 s	Ethernet LAN data rates	10,100 Mbit/s
Borderless printing	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
<b>Copying</b>		Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK
Duplex copying *	✓	Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
Copying *	Colour copying	<b>Performance</b>	
Maximum copy resolution *	1200 x 4800 DPI	Internal memory *	256 MB
Maximum number of copies	999 copies	Built-in processor	✓
Copier resize	25 - 400%	Sound pressure level (printing)	50 dB
N-in-1 copy function	✓	<b>Design</b>	
N-in-1 copy function (N=)	2, 4	Product colour *	Grey, White
ID-card copy function	✓	Market positioning *	Home & office
PC free copying	✓	Built-in display *	✓
<b>Scanning</b>		Display	TFT
Scanning *	Colour scanning	Display diagonal	9.4 cm (3.7")
Optical scanning resolution *	1200 x 2400 DPI	Control type	Touch
Maximum scan resolution	19200 x 19200 DPI	Colour display	✓
Maximum scan area	600 x 600 mm	<b>Power</b>	
Scanner type *	Flatbed & ADF scanner	Power consumption (copying)	29 W
Scan to	Cloud, E-mail, FTP, File, OCR, USB	Power consumption (ready)	5 W
<b>Fax</b>			
Faxing *	Colour faxing		
Fax resolution (black)	203 x 392 DPI		

<b>Fax</b>		<b>Power</b>	
Fax resolution (colour)	203 x 196 DPI	Power consumption (sleep)	0.9 W
Modem speed	33.6 Kbit/s	Power consumption (off)	0.03 W
Fax memory	180 pages	Energy Star Typical Electricity Consumption (TEC)	0.17 kWh/week
<b>Features</b>		AC input voltage	100 - 120 V
Maximum duty cycle *	30000 pages per month	AC input frequency	50 - 60 Hz
Duplex functions *	Copy, Print	<b>System requirements</b>	
Ink tank system	✓	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Number of print cartridges *	4	Mac operating systems supported	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Country of origin	Philippines	<b>Operational conditions</b>	
<b>Input &amp; output capacity</b>		Operating relative humidity (H-H)	20 - 80%
Total number of input trays *	1	Operating temperature (T-T)	10 - 35 °C
Total input capacity *	250 sheets	<b>Sustainability</b>	
Total output capacity *	100 sheets	Sustainability certificates	ENERGY STAR
Auto document feeder (ADF)	✓	<b>Weight &amp; dimensions</b>	
Auto document feeder (ADF) input capacity	50 sheets	Width	576 mm
<b>Paper handling</b>		Depth	477 mm
Maximum ISO A-series paper size *	A3	Height	305 mm
Paper tray media types *	Coated paper, Glossy paper, Photo paper, Plain paper, Recycled paper	Weight	19.7 kg
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	<b>Packaging data</b>	
Non-ISO print media sizes	Index card, Legal	Package width	681 mm
Envelopes sizes	C5, Com-10, DL, Monarch	Package depth	561 mm
Photo paper sizes (imperial)	3.5x5,4x6,5x7	Package height	423 mm
Borderless printing media sizes	Index card	Package weight	22.6 kg
Paper tray media weight	64 - 220 g/m <sup>2</sup>	<b>Packaging content</b>	
<b>Ports &amp; interfaces</b>		Cartridge(s) included	✓
Direct printing *	✓	Cables included	Phone
		<b>Logistics data</b>	
		Harmonized System (HS) code	8443310000



4977766825122

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 31-MAY-2023. Prints or copies of Information are only valid on the printed Publication date