## Brother MFCL2827DWXLRE1 multifunction printer Laser A4 1200 x 1200 DPI 32 ppm Wi-Fi

Brand : Brother

Product code: MFCL2827DWXLRE1

Product name : MFCL2827DWXLRE1

Brother MFCL2827DWXLRE1. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, Grey





| Printing  |   | Paper handling   |  |
|---|---|--|--|
| Duplex printing mode<br>Print technology *<br>Printing *<br>Duplex printing *<br>Maximum resolution *<br>Print speed (black, normal quality,<br>A4/US Letter) * | Auto<br>Laser<br>Mono printing<br>✓<br>1200 × 1200 DPI<br>32 ppm                    | ISO B-series sizes (B0B9)<br>Non-ISO print media sizes<br>JIS B-series sizes (B0B9)<br>Envelopes sizes<br>Custom media width<br>Custom media length<br>Paper tray media weight | B5<br>Executive<br>B5, B6<br>C5, Com-10, DL, Monarch<br>105 - 216 mm<br>147 - 356 mm<br>60 - 230 g/m <sup>2</sup>  |
| Duplex print speed (black, normal quality, A4/US Letter)  | 16 ppm  | Ports & interfaces   |  |
| Time to first page (black, normal) Copying Duplex copying *   | 8.5 s   | Direct printing *<br>USB port<br>USB 2.0 ports quantity  | ✓<br>✓<br>1  |
| Copying *   | X<br>Mono copying   | Network  |  |
| Maximum copy resolution *   | 600 x 600 DPI   | Wi-Fi *  | 4  |
| Scanning  |   | Ethernet LAN *   | √  |
| Duplex scanning *<br>Scanning *<br>Optical scanning resolution *<br>Optical scanning resolution (ADF)<br>Scanner type *<br>Scan technology                      | Colour scanning<br>1200 x 1200 DPI<br>600 x 600 DPI<br>Flatbed & ADF scanner<br>CIS | Cabling technology<br>Wi-Fi standards<br>Wi-Fi Direct<br>Security algorithms   | 10/100Base-T(X)<br>802.11a, 802.11b, 802.11g, Wi-Fi 4<br>(802.11n), Wi-Fi 5 (802.11ac)<br>✓<br>WPA2-AES, 64-bit WEP, WPA2-PSK,<br>128-bit WEP, WPA3-SAE, WPA-AES,<br>WPA-PSK, WPA-TKIP |
|   | E-mail, E-mail Server, File, Network  | Performance  |  |
| Scan to<br>Input colour depth<br>Output colour depth  | folder<br>30 bit<br>24 bit  | Internal memory *<br>Sound pressure level (printing)   | 128 MB<br>49 dB  |
| Input greyscale depth   | 10 bit  | Design   |  |
| Output greyscale depth  | 8 bit   | Product colour *   | Black, Grey  |
| Fax<br>Faxing *<br>Modem speed  | Mono faxing<br>33.6 Kbit/s  | Market positioning *<br>Built-in display *<br>Display<br>Control type  | Home & office<br>✓<br>LCD<br>Buttons   |
| Features  |   |  | Dations  |
| Maximum duty cycle *  | 2500 pages per month  |  |  |


Maximum duty cycle \*

2500 pages per month

| Features  |   | Power  |                                       |
|---|---|--|---------------------------------------|
| Duplex functions *<br>Number of print cartridges *<br>Printing colours *  | Print<br>1<br>Black                                       | Power consumption (printing)<br>Power consumption (copying)<br>Power consumption (ready)                     | 470 W<br>480 W<br>43 W                |
| Input & output capacity<br>Total number of input trays *<br>Total input capacity *<br>Total output capacity *<br>Auto document feeder (ADF)<br>Auto document feeder (ADF) input<br>capacity | 1<br>250 sheets<br>120 sheets<br>✓<br>50 sheets           | Power consumption (sleep)<br>Power consumption (off)<br>Energy Star Typical Electricity<br>Consumption (TEC) | 4.1 W<br>0.08 W<br>0.37 kWh/week      |
|   |   | <b>Weight &amp; dimensions</b><br>Width<br>Depth   | 410 mm<br>399 mm                      |
| Paper handling<br>Maximum ISO A-series paper size *   | A4<br>Envelopes, Labels, Plain paper,                     | Height<br>Weight<br>Packaging data   | 319 mm<br>12.7 kg                     |
| Paper tray media types *Recycled paper, Thick paper,<br>Thicker paper, Thin paperISO A-series sizes (A0A9) *A4, A5, A6  | Recycled paper, Thick paper,<br>Thicker paper, Thin paper | Package width<br>Package depth<br>Package height<br>Package weight   | 580 mm<br>517 mm<br>434 mm<br>15.2 kg |
|   |   | Packaging content  |                                       |

Cartridge(s) included

∢



4977766831444

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.