TP-Link DECO X50-PoE(3-PACK) Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Wit Intern

Merk : TP-Link

Productnaam : DECO X50-PoE(3-PACK)

Artikelcode: DECO X50-POE(3-PACK)

TP-Link DECO X50-PoE(3-PACK). Kleur van het product: Wit, Soort antenne: Intern, Type product: Mesh-systeem. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 6 (802.11ax), Wi-Fi-standaarden: Wi-Fi 6 (802.11ax). Ondersteunde Cloud-diensten: TP-Link ID, Firewall: SPI Firewall, Ondersteunde mobiele besturingssystemen: Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0,.... Certificering: CE, FCC, RoHS. Breedte: 154 mm, Diepte: 154 mm, Hoogte: 68,6 mm

Design

Product type	Mesh system
Product colour *	White
Antenna type *	Internal
Maximum coverage	600 m²
Reset button	✔

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Wi-Fi standards	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	2402 Mbit/s
WLAN data transfer rate (second band)	574 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Security algorithms	WPA, WPA2, WPA3
Number of guest networks (5 GHz)	1
Number of guest networks (2.4 GHz)	1
Point-to-point protocol over Ethernet (PPPoE)	✔
Dynamic IP	✔
Static IP	✔
IGMP proxy	✔
IGMP snooping	✔
Tagged VLAN	✔
Dynamic DNS (DDNS)	✔
Guest access	✔
Apps supported	TP-Link Deco

Features

Port forwarding	✔
Firewall security	SPI Firewall
DHCP client	✔
DHCP server	✔
Mobile operating systems supported	Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0, iOS 10.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 13.4, iOS 14, iOS 14.5, iOS 15, iOS 9.0, iOS 9.1, iOS 9.2, iOS 9.3
Universal Plug and Play (UPnP)	✔
Parental control	✔
Parental control features	Bedtime, Content filter, Custom profiles, Family time, Time rewards, Weekly/monthly reports
Works with Amazon Alexa	✔
MU-MIMO technology	✔
MIMO	✔

Ports & interfaces

Ethernet LAN (RJ-45) ports *	3
Power over Ethernet (PoE)	✔
DC-in jack	✔

Certificates

Certification	CE, FCC, RoHS

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C

Features	
Built-in processor	✘
Quality of Service (QoS) support	✔
Cloud services supported	TP-Link ID

Operational conditions	
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions	
Width	154 mm
Depth	154 mm
Height	68.6 mm

Packaging content	
Number of products included	3 pc(s)
AC adapter included	✔
Number of units included	3 pc(s)
Ethernet cable	✔

0840030707919

840030707919

4897098689851

4897098687918