

## Intel Core i7-13700K processor 30 MB Smart Cache Box

Brand : Intel Product family: Core Product code:

BX8071513700K

Product name: i7-13700K

Boxed Intel® Core™ i7-13700K Processor (30M Cache, up to 5.40 GHz) FC-LGA16A Intel Core i7-13700K. Processor family: Intel® Core™ i7, Processor socket: LGA 1700, Processor manufacturer: Intel. Memory channels: Dual-channel, Maximum internal memory supported by processor: 192 GB, Memory types supported by processor: DDR4-SDRAM, DDR5-SDRAM. On-board graphics card model: Intel UHD Graphics 770, On-board graphics card outputs supported: Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1, On-board graphics card base frequency: 300 MHz. Market segment: Desktop, Use conditions: PC/Client/Tablet, Workstation, PCI Express slots version: 4.0, 5.0. Intel® Turbo Boost Max Technology 3.0 frequency: 5.4 GHz







| Processor  |                                       | Features   |          |
|--|---------------------------------------|--|----------|
| Processor manufacturer *                               | Intel                                 | Embedded options available                                       | ×        |
| Processor generation Processor model *                 | 13th gen Intel® Core™ i7<br>i7-13700K | Direct Media Interface (DMI)<br>Revision                         | 4.0      |
| Processor family *                                     | Intel® Core™ i7                       | Export Control Classification<br>Number (ECCN)                   | 5A992C   |
| Processor cores * Processor socket * Processor threads | 16<br>LGA 1700<br>24                  | Commodity Classification<br>Automated Tracking System<br>(CCATS) | 740.17B1 |
| Processor operating modes *                            | 64-bit                                |  |          |
| Performance cores                                      | 8                                     | Processor special features                                       |          |
| Efficient cores  | 8                                     | Intel® Hyper Threading Technology (Intel® HT Technology)         | ✓        |
| Processor boost frequency                              | 5.4 GHz                               | Intel® Turbo Boost Technology                                    | 2.0      |
| Performance-core boost frequency                       | 5.3 GHz                               | Intel® Quick Sync Video Technology                               |          |
| Performance-core base frequency                        | 3.4 GHz                               | Intel® Clear Video HD Technology                                 |          |
| Efficient-core boost frequency                         | 4.2 GHz                               | (Intel® CVT HD)  | ✓        |
| Efficient-core base frequency                          | 2.5 GHz                               | Intel® AES New Instructions (Intel®                              | 1        |
| Processor cache  | 30 MB                                 | AES-NI)  | •        |
| Processor cache type                                   | Smart Cache                           | Enhanced Intel SpeedStep Technology                              | ✓        |
| Box *  | ✓                                     | Intel Trusted Execution Technology                               | 1        |
| Cooler included *                                      | ×                                     | Intel® Speed Shift Technology                                    | 1        |
| Processor base power                                   | 125 W                                 | Intel® Turbo Boost Max Technology                                | •        |
| Maximum turbo power                                    | 253 W                                 | 3.0 frequency  | 5.4 GHz  |
| Stepping   | В0                                    | Intel® Gaussian & Neural   | 1        |
| Bus type   | DMI4                                  | Accelerator (Intel® GNA) 3.0                                     | ✓        |
| Maximum number of DMI lanes                            | 8                                     | Intel® Control-flow Enforcement                                  | <b>√</b> |
| Memory bandwidth supported by processor (max)          | 89.6 GB/s                             | Technology (CET) Intel® Thread Director                          | ✓        |
| Processor codename                                     | Raptor Lake                           | Intel VT-x with Extended Page                                    | 1        |
| Processor ARK ID                                       | 230500                                | Tables (EPT)   |          |
| Memory   |                                       | Intel® Secure Key  | <b>4</b> |
| Maximum internal memory supported by processor         | 192 GB                                | Intel® Active Management<br>Technology (Intel® AMT)              | ✓        |
| Memory types supported by                              | DDR4-SDRAM, DDR5-SDRAM                | Intel Stable Image Platform Program (SIPP)                       | ✓        |
| processor  Moment channels *                           | Dual-channel                          | Intel® OS Guard  | ✓        |
| Memory channels * ECC                                  | Juai-Channei  ✓                       | Intel 64   | ✓        |
| Non-ECC  | 4                                     | Intel Virtualization Technology (VT-                             | ✓        |
| Memory bandwidth (max)                                 | 89.6 GB/s                             | x) Intel Virtualization Technology for Directed I/O (VT-d)       | <b>√</b> |
| Graphics   |                                       | Intel Turbo Boost Max Technology                                 |          |
| On-board graphics card *                               | ✓                                     | 3.0  | ✓        |
| Discrete graphics card *                               | ×                                     | Intel® Boot Guard  | ✓        |
| On-board graphics card model *                         | Intel UHD Graphics 770                | Intel® Deep Learning Boost (Intel® DL Boost)                     | 1        |

| Graphics  |  | Processor special features   |                             |
|---|--|--|-----------------------------|
| On-board graphics card outputs supported                                | Embedded DisplayPort (eDP) 1.4b,<br>DisplayPort 1.4a, HDMI 2.1 | Intel® Volume Management Device (VMD)                              | ✓                           |
| On-board graphics card base frequency                                   | 300 MHz  | Mode-based Execute Control (MBE) Intel® vPro™ Platform Eligibility | <b>√</b>                    |
| On-board graphics card dynamic frequency (max)                          | 1600 MHz   | Intel® Standard Manageability (ISM) Intel® One-Click Recovery      | <b>V</b>                    |
| Number of displays supported (onboard graphics)                         | 4  | Intel® Remote Platform Erase (RPE)                                 | •                           |
| On-board graphics card DirectX version                                  | 12.0   | Intel® Virtualization Technology with Redirect Protection (VT-rp)  | ✓                           |
| On-board graphics card OpenGL version                                   | 4.5  | Intel vPro® Enterprise Platform<br>Eligibility                     | ✓                           |
| On-board graphics card maximum resolution (DisplayPort)                 | 7680 x 4320 pixels   | Intel® Threat Detection Technology (TDT)                           | ✓                           |
| On-board graphics card maximum resolution (eDP - Integrated Flat Panel) |  | Intel® Hardware Shield Eligibility                                 | ✓                           |
|   | 5120 x 3200 pixels   | Intel® Total Memory Encryption -<br>Multi Key                      | ✓                           |
| On-board graphics card maximum resolution (HDMI)                        | 4096 x 2160 pixels   | Intel vPro® Essentials Platform<br>Eligibility                     | ✓                           |
| On-board graphics card refresh rate                                     | 60 Hz  | Operational conditions   |                             |
| at maximum resolution<br>(DisplayPort)                                  |  | Tjunction  | 100 °C                      |
| On-board graphics card refresh rate at maximum resolution (eDP -        | 120 Hz   | Technical details  |                             |
| Integrated Flat Panel)  |  | Target market  | Gaming, Content Creation    |
| On-board graphics card refresh rate at maximum resolution (HDMI)        | 60 Hz  | OpenCL version  Launch date  | 3.0<br>O4'22                |
| On-board graphics card ID   | 0xA780   | Status   | Launched                    |
| Discrete graphics card model *  | Not available  | Logistics data   |                             |
| Number of execution units   | 32   |  | 05.4221.0001                |
| Multi-Format Codec Engines  | 2  | Harmonized System (HS) code  | 8542310001                  |
| Features  |  | Packaging data   |                             |
| Execute Disable Bit   | 1  | Package type   | Retail box                  |
| Idle States   | ✓  | Other features   |                             |
| Thermal Monitoring Technologies   | ✓  | L2 cache   | 24576 KB                    |
| Market segment  | Desktop  | Maximum internal memory  | 192 GB                      |
| Use conditions  | PC/Client/Tablet, Workstation                                  | Graphics output  | eDP 1.4b, DP 1.4a, HDMI 2.1 |
| Maximum number of PCI Express lanes                                     | 20   |  |                             |
| PCI Express slots version   | 4.0, 5.0   |  |                             |
| PCI Express configurations  | 1x16+1x4, 2x8+1x4  |  |                             |
| Supported instruction sets  | SSE4.1, SSE4.2, AVX 2.0  |  |                             |
| Scalability   | 15   |  |                             |
| CPU configuration (max)   | 1  |  |                             |







Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.