

## Intel Xeon E-2386G processor 3,5 GHz 12 MB Smart Cache

Merk : Intel

Productfamilie: Xeon

 Artikelcode:  
CM8070804494716

Productnaam : E-2386G

Intel Xeon E-2386G. Processorfamilie: Intel Xeon E, Processor socket: LGA 1200 (Socket H5), Processor lithografie: 14 nm. Geheugen kanaal: Dubbelkanaals, Maximaal intern geheugen ondersteund door processor: 128 GB, Geheugentypen ondersteund door processor: DDR4-SDRAM. On-board graphics adapter model: Intel UHD Graphics P750, Maximaal geheugen ingebouwde grafische adapter: 64 GB, Basisfrequentie ingebouwde grafische adapter: 350 MHz. Marktsegment: Server, PCI Express configuraties: 1x16+1x4, 2x8+1x4, 1x8+3x4, Ondersteunde instructie sets: SSE4.1, SSE4.2, AVX 2.0, AVX-512. Intel® Turbo Boost Technology 2.0 frequency: 5,1 GHz, Ondersteuning voor maximale enclavegrootte voor Intel® SGX: 0,5 GB



Processor		Kenmerken	
Processorfabrikant *	Intel	CPU configuratie (max)	1
Processormodel *	E-2386G	Export Control Classification Number (ECCN)	5A992CN3
Basisfrequentie processor *	3,5 GHz	Commodity Classification Automated Tracking System (CCATS)	G167599
Processorfamilie *	Intel Xeon E	<b>Processor speciale functies</b>	
Aantal processorkernen *	6	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Processor socket *	LGA 1200 (Socket H5)	Intel® Turbo Boost Technology	2.0
Component voor	Server/werkplaats	Intel® Quick Sync Video Technology	✓
Processor lithografie *	14 nm	Intel® InTru™ 3D Technology	✓
Processor aantal threads	12	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Systeembus	8 GT/s	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor operating modes *	64-bit	Enhanced Intel SpeedStep Technology	✓
Maximale turbofrequentie van processor	5,1 GHz	Intel® Trusted Execution Technology	✓
Processor cache	12 MB	Intel® Memory Protection Extensions (Intel® MPX)	✓
Processor cache type	Smart Cache	Intel® Turbo Boost Technology 2.0 frequency	5,1 GHz
Thermal Design Power (TDP)	95 W	Intel® Transactional Synchronization Extensions	✗
Box *	✗	Ondersteuning voor maximale enclavegrootte voor Intel® SGX	0,5 GB
Inclusief koeler *	✗	Intel® VT-x with Extended Page Tables (EPT)	✓
ARK ID processor	214806	Intel® Secure Key	✓
<b>Geheugen</b>		Intel® OS Guard	✓
Maximaal intern geheugen ondersteund door processor	128 GB	Intel® Clear Video-technologie	✓
Geheugentypen ondersteund door processor	DDR4-SDRAM	Intel® Software Guard Extensions (Intel® SGX)	✓
Geheugen kanaal *	Dubbelkanaals	Intel® 64	✓
ECC	✓	Intel® Virtualization Technology (VT-x)	✓
<b>Grafisch</b>		Intel® Virtualization Technology for Directed I/O (VT-d)	✓
Ingebouwde grafische adapter *	✓	Intel® Boot Guard	✓
Aparte grafische adapter *	✗	Intel® Optane™ DC Persistent Memory ondersteunt	✗
On-board graphics adapter model *	Intel UHD Graphics P750	Intel® vPro™ Platform Eligibility	✓
Maximaal geheugen ingebouwde grafische adapter	64 GB		
Basisfrequentie ingebouwde grafische adapter	350 MHz		
Graphics on-board -adapter dynamische frequentie (max)	1300 MHz		
4K-ondersteuning	✓		
On-board grafische adapter OpenGL versie	4,5		

Grafisch		Eisen aan de omgeving	
Grafische adapter refresh rate on-board bij maximale resolutie (DisplayPort )	60 Hz	Tjunction	100 °C
Refresh rate op maximale resolutie (eDP - Integrated Flat Panel)	60 Hz	Technische details	
Verversingsfrequentie ingebouwde grafische adapter bij maximale resolutie (HDMI)	60 Hz	Lanceringsdatum	Q3'21
Discreet grafische adapter model *	Niet beschikbaar	Status	Launched
Aantal verwerkingseenheden	32	Ondersteunde geheugen types	DDR4-SDRAM
Kenmerken		Onderhoudsstatus	Baseline Servicing
Execute Disable Bit	✓	Logistieke gegevens	
Idle States	✓	Code geharmoniseerd systeem (HS)	85423119
Thermal Monitoring Technologies	✓	Gewicht en omvang	
Marktsegment	Server	Verpakkingsgrootte processor	37.5 x 37.5 mm
Maximaal aantal PCI Express-lijnen	20	Overige specificaties	
PCI Express slots versie	4.0	Maximum intern geheugen	128 GB
PCI Express configuraties	1x16+1x4, 2x8+1x4, 1x8+3x4		
Ondersteunde instructie sets	SSE4.1, SSE4.2, AVX 2.0, AVX-512		
Schaalbaarheid	1S		



8592978338480



0675901923859



675901923859

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.