

Intel Xeon w9-3475X processor 2,2 GHz 82,5 MB Smart Cache Box

Merk : Intel

Productfamilie: Xeon

Artikelcode: BX807133475X

Productnaam : w9-3475X

Intel Xeon w9-3475X. Processorfamilie: Intel® Xeon® W, Processor socket: LGA 4677 (Socket E), Processorfabrikant: Intel. Geheugen kanaal: Achtkanaals, Maximaal intern geheugen ondersteund door processor: 4 TB, Geheugentypen ondersteund door processor: DDR4-SDRAM. Marktsegment: Workstation, Gebruiksvoorwaarden: Workstation, Ondersteunde instructie sets: SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512. Intel® Turbo Boost Max Technology 3.0 frequency: 4,8 GHz, Intel® Turbo Boost Technology 2.0 frequency: 4,6 GHz, Intel® QuickAssist Technology (QAT): 0 default devices. Type verpakking: Retaildoos



Processor		Processor speciale functies	
Processorfabrikant *	Intel	Intel® Control-flow Enforcement Technology (CET)	✓
Processormodel *	w9-3475X	Ondersteuning voor Intel® Platform Firmware Resilience	✓
Basisfrequentie processor *	2,2 GHz	Intel® VT-x with Extended Page Tables (EPT)	✓
Processorfamilie *	Intel® Xeon® W	Intel® Active Management Technology (Intel® AMT)	✓
Aantal processorkernen *	36	Intel® OS Guard	✓
Processor socket *	LGA 4677 (Socket E)	Intel® Software Guard Extensions (Intel® SGX)	✗
Processor aantal threads	72	Intel® 64	✓
Processor operating modes *	64-bit	Intel® Virtualization Technology (VT-x)	✓
Prestatiekernen	36	Intel® Virtualization Technology for Directed I/O (VT-d)	✓
Maximale turbofrequentie van processor	4,8 GHz	Intel® Turbo Boost Max Technology 3.0	✓
Processor cache	82,5 MB	AVX-512 Fused Multiply-Add (FMA) eenheden	2
Processor cache type	Smart Cache	Intel® Boot Guard	✓
Box *	✓	Intel® Deep Learning Boost (Intel® DL Boost)	✓
Processor basisvermogen	300 W	Intel® Resource Director-technologie (Intel® RDT)	✗
Maximaal turbovermogen	360 W	Mode-based Execute Control (MBE)	✓
Stepping	E5	Intel® Optane™ DC Persistent Memory ondersteunt	✗
Bus type	DMI4	Intel® vPro™ Platform Eligibility	✓
Codenaam processor	Sapphire Rapids	Intel® One-Click Recovery (Herstel met 1 klik)	✗
ARK ID processor	233419	Intel® Remote Platform Erase (RPE)	✗
Geheugen		Intel® virtualisatietechnologie met omleidingsbescherming (VT-rp)	✓
Maximaal intern geheugen ondersteund door processor	4 TB	Intel vPro® Enterprise-platformvoorwaarden	✓
Geheugentypen ondersteund door processor	DDR4-SDRAM	Intel®-technologie voor dreigingsdetectie (TDT)	✗
Geheugen kanaal *	Achtkanaals	Intel® totale geheugencodering - Meerdere sleutels	✗
ECC	✓	Intel® QuickAssist-softwareversnelling	✗
Grafisch		Intel® QuickAssist Technology (QAT)	0 default devices
Ingebouwde grafische adapter *	✗		
Aparte grafische adapter *	✗		
On-board graphics adapter model *	Niet beschikbaar		
Discreet grafische adapter model *	Niet beschikbaar		
Kenmerken			
Execute Disable Bit	✓		
Marktsegment	Workstation		
Gebruiksvoorwaarden	Workstation		
Maximaal aantal PCI Express-lijnen	112		
PCI Express slots versie	5.0		

Kenmerken		Processor speciale functies	
Ondersteunde instructie sets	SSE4.1, AMX, SSE4.2, AVX 2.0, AVX-512	Intel® Dynamic Load Balancer (DLB)	0 default devices
Schaalbaarheid	1S	Intel® Data Streaming Accelerator (DSA)	1 default devices
CPU configuratie (max)	1	Intel® In-memory Analytics Accelerator (IAA)	0 default devices
Ingebouwde opties beschikbaar	✗	Intel® Advanced Matrix Extensions (AMX)	✓
Directe media-interface (DMI) revisie	4.0	Eisen aan de omgeving	
Export Control Classification Number (ECCN)	5A992C	Tcase	74 °C
Commodity Classification Automated Tracking System (CCATS)	G180729	DTS Max	95 °C
Processor speciale functies		Technische details	
Intel® Hyper Threading Technology (Intel® HT Technology)	✓	Lanceringsdatum	Q1'23
Intel® Turbo Boost Technology	2.0	Status	Launched
Intel® AES New Instructions (Intel® AES-NI)	✓	Ondersteunde geheugen types	DDR4-SDRAM
Enhanced Intel SpeedStep Technology	✓	Geheugensnelheid (max)	4800 MHz
Intel® Trusted Execution Technology	✓	Pakketvervoerder (package carrier)	E1A
Intel® Speed Shift-technologie	✓	Logistieke gegevens	
Intel® Turbo Boost Max Technology 3.0 frequency	4,8 GHz	Code geharmoniseerd systeem (HS)	8542310001
Intel® Turbo Boost Technology 2.0 frequency	4,6 GHz	Verpakking	
Intel® Transactional Synchronization Extensions	✓	Type verpakking	Retaildoos
Intel® Total Memory Encryption	✓	Gewicht en omvang	
		Verpakkingsgrootte processor	77.5 x 56.5 mm
		Overige specificaties	
		Maximum intern geheugen	4 TB



0675902087321




675902087321



0735858534604



735858534604



5032037266185

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.