


# ROLINE KVM Switch, with USB Hub, HDMI 4K@60Hz, 2x USB A + 1x USB C

<b>Product No.</b>	14.01.3427
<b>Manufacturer</b>	ROLINE
<b>Manufacturer No.</b>	14.01.3427
<b>EAN (single piece)</b>	7630049632394



**This is a KVM switch, including an USB Hub. You can operate two USB-C devices with just one USB mouse, one USB keyboard and one HDMI monitor - with a resolution of up to 3840x2160 @60Hz!**

## KVM switch

- Switching between the devices is done via a button on the switch
- LED display provides information about the active connection to the device
- Max. Video display resolution: 3840x2160 @60Hz
- Solid metal housing

## USB Hub

- Three USB 3.2 Gen. 1 / USB 3.0 (2x Type A, 1x Type C) ports for connecting e.g. keyboard and mouse, external hard disk, printer, scanner or other peripheral devices
- 1 port with USB type C PD for connecting a PD charger (min. 100 W)
- If two devices are connected, they are charged via PD with 60W (port 1) and 20W (port 2); if only one device is connected, it can be charged with up to 80W.

## Technical specifications

Manufacturer	ROLINE
Product group	KVM switches / PC shares
Product type	KVM-Switch, HDMI
Colour	black

Scope of delivery	Main Unit, 2 USB-C cables, User Manual
Interface	HDMI
Inputs	2
Outputs	1
Quantity of PCs	2
Supported PC-Systems	USB
PC: monitor connection	HDMI
PC: mouse/keyboard connection	2x USB
PC: connection on moulded cables	no
Analogue Console: Mouse/Keyboard connection	USB
Integrated console	no
Switching over Scan Run	no
Print button on device	yes
Switching over Hot Keys	no
Switching over OSD	no
Integrated Hub	yes
Quantity of USB-Hub ports	3
Keyboard/mouse emulation	yes
19" compatible	no
Cascadable	no
Hot plug compatible	yes
Max. resolution (nominal)	3840 x 2160 @60Hz
Colour (Design profile)	black
Material (casing)	Metal

---

Power supply unit required	yes
----------------------------	-----

Operating temperature min.	0 °C
----------------------------	------

Operating temperature max.	40 °C
----------------------------	-------

Height	20 mm
--------	-------

Width	161 mm
-------	--------

Depth	100 mm
-------	--------

Weight	261 g
--------	-------

Height of packaging (single piece)	80 mm
------------------------------------	-------

Width of packaging (single piece)	140 mm
-----------------------------------	--------

Depth of packaging (single piece)	200 mm
-----------------------------------	--------

Package weight (single piece)	0.8 kg
-------------------------------	--------