## **ROLINE USB 3.2 Gen 2 Hub, 4 Ports (2x A + 2x C), PD** (100W)

**Product No.** 14.02.5060


roline

Manufacturer

**ROLINE** 

**Manufacturer No.** 14.02.5060





With this ROLINE USB 3.1 / USB 3.2 Gen 2 Hub with USB Type C connection cable you can easily connect up to four USB devices (2x USB A + 2x USB C) with a transmission speed of up to 10 Gbps each. Also, PD (Power Delivery) 100W for charging your device is supported.

4x USB ports

2x USB 3.1 / USB 3.2 Gen. 2 Type A Female 10 Gbps

2x USB 3.1 / USB 3.2 Gen. 2 Type C Female 10 Gbps

- Transmission speed of 10 Gbps
- Supports PD (Power Delivery) 100W
- Fixed USB Type C host cable (cable length approx. 16 cm)
- Backwards compatible with USB 3.0 / USB 3.2 Gen. 1 / USB 2.0 / USB 1.1
- Plug & play, no additional drivers required
- Housing dimensions: 15 x 46 x 70 mm
- Weight: 48 g
- Connections: 1x USB Type C Male, 2x USB Type A Female + 2x USB Type C Female
- Supports Windows 7 or above / macOS 10.0 or above / iPadOS / Android

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	ROLINE
Product group	Hubs
Product type	USB Hub
Colour	black
Scope of delivery	USB Hub
PC connection	1x USB C Male
Device connection	2x USB A Female, 2x USB C Female, 1x USB C (PD)
Transfer quality	USB 3.2 Gen 2 SuperSpeed 10 Gbit/s (USB 3.1 Gen 2, USB 3.1)
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	USB 3 Type A USB Type C (USB-C)
Side 2 Connector Gender	Female
Quantity of ports	4
Area of application	External
Dimensions (HxWxD)	15 x 46 x 70 mm
Power supply unit required	no
Height	15 mm
Width	70 mm
Depth	46 mm
Weight	48 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	160 mm
Depth of packaging (single piece)	200 mm

Package weight (single 0.062 kg piece)