ROLINE 19-inch Network Cabinet Pro 47 U, 800x800 WxD glass door grey

Product No. 26.21.0070

ROLINE

Manufacturer No.

26.21.0070

EAN (single piece)

Manufacturer

7630049600713







ROLINE 19 inch network cabinet Pro 47 HE 800x800 WxD glass door grey

The network cabinets in the ROLINE Pro series have been developed to enable particularly convenient and flexible network cabling. With brush inlets in the roof and base area (from 26U and 800 mm cabinet width), a slide-on inlet in the base chassis with foam rubber seal and brush strips above and below the rear door (from 26U), they offer a wide range of possible uses for various application scenarios. Vertical cable ducts with cover, installed next to the profile rails (from 800 mm enclosure width), complete the design. A stepped, removable cover with ventilation slots improves air circulation and allows easy installation of a fan module. Two pairs of galvanised 19" profile rails are installed inside, which can be read in both directions and are adjustable in depth. They are also connected to additional depth struts in the enclosure. Each cabinet consists of a robust steel construction with a material thickness of up to 1.5 mm sheet steel.

Technical specifications		
Manufacturer	ROLINE	
Product group	19"-/10"-Cabinet	
Product type	19"-Floor cabinet	
Colour	grey	

Scope of delivery	19-inch network enclosure Pro 47 U, earthing cable set, installation kit for profile half cylinder, 2x spanners, installation set (screws, cage nuts, washers), instructions
Height units	47 U
Minimum rack depth supported	560 mm
Maximum rack depth supported	740 mm
delivery condition	fully assembled
Material group	Steel
Wall mountable	no
Adjustable feets	yes
Maximum weight capacity	600 kg
Protection class (IP Code)	IP20
Soundproof	no
Front	Glass door
Rack rails	yes
Side panels included	yes
Removeable side panels	yes
Removable front door	yes
Removable back door	yes
Ventilation	Passive
RAL colour	RAL 7035 Light grey
Height	2276 mm
Width	800 mm
Depth	800 mm
Weight	120.4 kg
Height of packaging (single piece)	2416 mm

Width of packaging (single piece)	880 mm
Depth of packaging (single piece)	880 mm
Package weight (single piece)	125.3 kg