
VALUE Dockingstation Type C, 1x HDMI 4K60, 2xA USB3.2Gen1, 1xC USB3.2Gen1, 1x PD (Power Delivery)

Product No.
Manufacturer
Manufacturer No.
EAN (single piece)

12.99.1137 VALUE 12.99.1137 7630049628410





Connect your MacBook, Ultrabook, notebook/laptop via USB Type C to permanently installed devices - such as an HDMI monitor (with 4K60 resolution) - and via USB ports to a keyboard and an external hard disk, for example, while simultaneously charging your device via the USB Type C PD port.

- Type C Dockingstation for e.g. MacBook, Ultrabook, Notebook/Laptop or PC
- Connect your device with USB Type C port to any HDMI display or projector
- This adapter allows you to mirror or extend your display to your HDMI-enabled TV or display
- Maximum resolution: 3840x2160 @60Hz
- Portable design
- No power adapter required
- USB Type C PD: Power Delivery Function for charging of devices via the additional Type C connection
- Connectors: HDMI Female and Type C Male; additionally, 1x USB3.2Gen1 C, 2x USB3.2Gen1 A and 1x USB Type C (PD)
- Cable length: ca. 10 cm

Remark: Support of "Alternate Mode (DP Alt Mode)" required

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2

(formerly USB 3.1 / USB 3.1 Gen 2).

	Technical specifications
Manufacturer	VALUE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	black / gray
Length	0.1 m
Scope of delivery	Docking Station
Max. resolution	3840 x 2160 @60Hz (4K, UHD-1)
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	1x HDMI, 1x USB3.2Gen1 Typ C, 2x USB3.2Gen1 Typ A, 1x Type C (PD)
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A USB 3 Type A USB Type C (USB-C) USB Type C PD (Power Delivery)
Side 2 Connector Gender	Female
Area of application	External
Technical particularity	Power Delivery Function
Height	10 mm
Width	28 mm
Depth	102 mm
Weight	40 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	20 mm

Depth of packaging (single piece)	100 mm
Package weight (single piece)	0.08 kg