

VALUE USB 3.2 Gen 1 (USB-A or USB-C) to 2x HDMI Adapter, 4K@30Hz + 1080P@60Hz

Product No.	12.99.3206
Manufacturer	VALUE
Manufacturer No.	12.99.3206
EAN (single piece)	7630049634756



This USB 3.2 Gen 1 (USB-A or USB-C) to 2x HDMI Adapter connects one USB-A or USB-C port to two HDMI displays with resolutions of up to 4K@30Hz and 1080p@60Hz.

- Supports USB-A or USB-C port display connection to two HDMI displays
- Dual display output, supporting one display at 4K@30Hz and another at 1080p@60Hz
- Supports mirror and extend modes
- Suitable for Ultrabooks, Notebooks/Laptops and PCs
- Max. Resolution: 4K@30Hz + 1920x1080 @60Hz
- No additional power supply needed

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications

Manufacturer	VALUE
Product group	Adapters, Terminators, Converters
Product type	USB-HDMI Adapter
Colour	black
Length	0.15 m

Scope of delivery	Adapter, User Manual
Transfer quality	USB 3.2 Gen 1 SuperSpeed 5 Gbit/s (USB 3.1 Gen 1, USB 3.0)
Max. resolution	3840 x 2160 @30Hz (4K, Full HD)
Side 1 connection (PC)	USB 3.0 / USB 3.2 Gen 1 (USB-A + USB-C)
Side 2 connection (Peripherals)	HDMI 4K@30Hz + HDMI 1080P@60Hz
Side 1 Connector Type	USB 3 Type A
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A HDMI Type A
Side 2 Connector Gender	Female
Colour (Cable)	black
Area of application	External
Dimensions (HxWxD)	13 x 53 x 101 mm
Material	ABS
Operating temperature min.	0 °C
Operating temperature max.	60 °C
Height	13 mm
Width	53 mm
Depth	101 mm
Weight	67 g
Height of packaging (single piece)	20 mm
Width of packaging (single piece)	100 mm
Depth of packaging (single piece)	170 mm

Package weight (single piece) 0.15 kg