

VALUE Bi-Directional HDMI Switch, 4K60, 2-way

Product No.
Manufacturer
Manufacturer No.
EAN (single piece)











Displays the video output from two HDMI sources alternately on a 4K monitor, TV, or projector. Or displays the video output from one HDMI source alternately on two different devices.

• Manual bidirectional HDMI switch for connecting different devices (e.g. DVD, Blu-ray player) with HDMI port.

• Manual select push button to alternate between application modes

• Possible applications:

- Two inputs to one output (2 to 1): Up to 2 different HDMI devices can be connected to one monitor, TV or projector, by pushing the button.

- One input to two outputs (1 to 2): One HDMI device can be connected to up to 2 screens.

• A simultaneous output to multiple screens is not possible.

Connectors:
Application 1
Input: 2 x HDMI
Output: 1 x HDMI

Application 2 Input: 1 x HDMI Output: 2 x HDMI

- HDMI port selection by button
- \bullet Resolution up to 3840 x 2160 (4K) 60 Hz (depending on the system and the connected hardware)
- No external power supply needed
- Colour: silver / black
- Dual LEDs to display status
- Max. cable length for each port: 1.5 m
- Dimensions (LxWxH): 41 x 62 x 15 mm
- Weight: 29 g

Technical specifications		
Manufacturer	VALUE	
Product group	Splitters and selectors	
Product type	HDMI-Video-Switch	
Colour	black /silver	
Scope of delivery	HDMI Switch	
Interface	HDMI	
Inputs	2	
Outputs	1	
Video input	2x HDMI F	
Video output	1x HDMI F	
Max. resolution (nom.)	3840x2160@60Hz (4K2K)	
Max. resolution	3840 x 2160 @60Hz (4K, UHD-1)	
Height	15 mm	
Width	62 mm	
Depth	41 mm	
Weight	29 g	
Height of packaging (single piece)	10 mm	
Width of packaging (single piece)	40 mm	

Depth of packaging (single piece)	50 mm
Package weight (single piece)	0.03 kg